PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2002-012550

(43)Date of publication of application: 15.01.2002

(51)Int.Cl.

A61K 35/78 A61K 7/00 A61K 7/48 A61K 45/06

(21)Application number : 2000-194550

(71)Applicant: NOEVIR CO LTD

(22)Date of filing:

28,06,2000

(72)Inventor: YAMAMOTO YASUYUKI

TAKEI MASUMI


(54) SKIN CARE PREPARATION

(57)Abstract:

PROBLEM TO BE SOLVED: To obtain a skin care preparation excellent in skin-moisturizing effect, skin-beautifying effect, rough skinameliorating effect and compatibility with the skin owing to the skin's physiological function improvement resulting from its application, and also

high in stability and safety.

SOLUTION: This skin care preparation is obtained by formulating a base of agent for external use with a combination of either one of specific plant extract mixtures including extract mixtures derived from Matricaria chamomilla L., Foeniculum vulgare Miller, Humulus lupulus L. Achillea millefolium L., Melissa officinalis L and Viscum coloratum Nakai var. lutescens Miyabe et Kudo (or Viscum album L. var. lutescens Makino), at least one extract selected from those derived from a specific plant group and at least one anti- inflammatory agent. The skin is cared for by the use of a combination of at least two selected from the above skin care preparations.



NOTICES

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2. "****" shows the word which can not be translated.
- 3. In the drawings, any words are not translated.

CLAIMS

sort of an anti-inflammatory agent, or two sorts or more. [Claim 1] The following (A) and (B), and skin external preparations containing one

- (A) Chamomillae ViscumalbumL variutescensMakino). (FoeniculumvulgareMiller), Hop (AchilleamillefoliumL.), Melissa (MelissaofficinalisL.) and an extraction mixture mistletoe (ViscumcoloratumNakai var.lutescensMiyabe S S S (MatricariachamomillaL.), (Humuluslupulusl.), Achillea (I) ++ milefolium
- 9 (HederatobleriNakai), A.W.Hill.) belonging to Lilium, Vegetation (Tillaspp.) belonging to a linden belonging to an aloe common marigold (Calendulaarvensist.), a cornflower (Centaureacyanust.), A Vegetation (Potentillatormentilla), Liquorice (Glycyrrhizauralensis Fisher, Glycyrrhizaglabral. (Hamamelisvirginia.) nal., a hamamelis (HamamelisjaponicaSieb. (Salviaofficinalist.) and its field horsetail (EquisetumarvenseL), vegetation belonging (Rosmarinusofficinalist.), (Anthemisnobilist.) --(FaguscrenataBlume), and its variety, (Tussilagofarfaral.), Althaea belonging to a St. Iohr (Eucalyptusspp.), (AesculushippocastanumL.), w Kayoud vegetation (Ciliumspp). which thyme GlycyrrhizaechinataL, Vegetation (Aloespp.), a quince (CydoniaoblongaMill.) aloe group, A cucumber (CucumissativusL.), a coltsfoot i, (AesculusturbinataBlume), SEIYOUKIZUTA (HederahelixL.), and Anthemis or Two or more sorts of extracts. INUBUNA (FagusjaponicaMaxim.), comprises John's wort group group, A belonging parsley (Petroselinumcrispum (Mill.) Calendula variety (Salviaofficinalisvar.tenulor), (Thymusvulgarist.), officinalis ginseng (Daucuscarotal.). ginkgo tree officinalis GlycyrrhizaglanduliferaReg. (Althaeaofficinalist.), Betula (Hypericumspp.), (Calendula officinalist.), (Ginkgobilobal.), Þ (Betulaspp.), norse 000 sort Nym. hamamelis vegetation (1) MENTIRA rosemary nobilis

Y.S. CHANG

sort of an anti-inflammatory agent, or two sorts or more. 2] The following (C) and (D), and skin external preparations containing one

0 a ginseng (Daucuscarotal.). and/or a horse chestnut (AesculushippocastanumL), an extraction mixture of fennel (FoeniculumvulgareMiller), A buckeye (AesculusturbinataBlume)

Ĵ Chamomillae flos (Matricariachamomillat.), Hop (Humuluslupulust.), Achillea milefolium (Achilleamillefoliumt.), Melissa (Melissaofficinalist.), a mistletoe officinalis (CalendulaofficinalisL.), A common marigold (CalendulaarvensisL.), a comflower (CentaureacyanusL.), A field horsetail (EquisetumarvenseL.), quince (CydoniaoblongaMill.) belonging to an aloe group, A vegetation belonging to Eucalyptus (Eucalyptusspp.), Vegetation (Aloespp.), a (Viscumcoloratum Nakai milefolium (AchilleamillefoliumL.), Melissa a flora which comprises SEIYOUKIZUTA (HederahelixL.) and Anthemis nobilis (HederatobleriNakai), One sort or two sorts or more of extracts chosen from Vegetation (Tiliaspp.) belonging to a linden group, vegetation (Betulaspp.) belonging to Betula, Buna (FaguscrenataBlume), INUBUNA GlycyrrhizaglanduliferaReg. GlycyrrhizaglabraL. (HamamelisjaponicaSieb. et Zucc.), Garden thyme (ThymusvulgarisL.), torr (Salviaofficinalisvantenuior), Hamamelis (Hamamelisvirginianat.), a hamamelis (CucumissativusL.), varlutescensMakino), (FagusjaponicaMax.) VENTIRA (Hypericumspp.), (Althaeaofficinalist.)), vegetation belonging to (Petroselinumcrispum (Anthemisnobilist.). (Potentillatormentilla), ល Betula, im. (Mill.) Nym. Þ coltsfoot salvia var.lutescensMiyabe rosemary et Herd.), Ü ginkgo N N (SalviaofficinalisL) (Tussilagofarfaral.), Liquorice Ω Ω (Rosmarinusofficinalist.), (FaguscrenataBlume), Vegetation A.W.Hill.) variety, tree の代人になり (Ginkgobiloball); Û (GlycyrrhizauralensisFisher St. John's wort group belonging (Lillumspp.), Glycymhizaechinatal., а Д 9 Althaea ViscumalbumL Ö cucumber officinalis

one sort of an anti-inflammatory agent, or two sorts or more [Claim 3] The following (E) and (F), and skin external preparations containing

Chamomillae extraction mixture of the variety (Salviaofficinalisvantenuior). or more, a coltsfoot (Tussilagofarfaral.) belonging to a St. John's wort group, (AchilleamillefoliumL.). One sort of vegetation (Hypericumspp.) or two sorts Althaea officinalis (Althaeaofficinalist.), a salvia (Salviaofficinalist.), and/or an 10 0 0 0 (Matricariachamomillal..), Achillea milefolium